



Marine & Offshore

Certificate number: 66671/A0 MED

File number: ACI 1300/309/001

Item number: MED/3.18a

USCG Module B number: 164.112 / EC2690

This certificate is not valid when presented without the full attached schedule composed of 7 sections
www.veristar.com

Notified Body 2690 - MARINE EQUIPMENT DIRECTIVE 2014/90/EU

EC TYPE EXAMINATION CERTIFICATE

as per Module B of Directive 2014/90/EU of the European Parliament and of the Council of 23 July 2014 as transposed in the French Regulations and Commission Implementing Regulation (EU) 2021/1158 of 22 June 2021

This certificate is issued to:

Misumaru Sangyo Co., Ltd.

Osaka. - JAPAN

for the type of product

SURFACE MATERIALS AND FLOOR COVERINGS WITH LOW FLAME-SPREAD CHARACTERISTICS: DECORATIVE VENEERS
"Woodtique"

Requirements:

SOLAS 74 convention as amended, Regulations II-2/3, II-2/5, II-2/6, II-2/9, X/3
IMO Res. MSC.36(63) -(1994 HSC Code)- as amended, 7
IMO Res. MSC.97(73) -(2000 HSC Code)- as amended, 7
IMO Res. MSC.307(88) (2010 FTP Code)
IMO MSC/Circ.1120

This certificate is issued on behalf of the French Maritime Authorities to attest that Bureau Veritas Marine & Offshore did undertake the relevant type-examination procedures for the product identified above which was found to comply with the relevant requirements of the Directive 2014/90/EU of the European Parliament and of the Council of 23 July 2014 as transposed in the French Regulations.


This certificate will expire on: 01 Oct 2026

For Bureau Veritas Marine & Offshore Notified Body 2690,

At BV KOBE, on 01 Oct 2021,

Shinichi Takemoto



This certificate does not allow to issue the Declaration of Conformity and to affix the mark of conformity (wheelmark ) to the products corresponding to this type. To this end, the production-control phase module (D, E or F) of Annex II of the Directive is to be complied with and controlled by a written inspection agreement with a notified body.

This certificate remains valid until the date stated above, unless cancelled or revoked, provided the conditions indicated in the subsequent page(s) are complied with and the product remains satisfactory in service. This certificate will not be valid if the applicant makes any changes or modifications to the approved product, which have not been notified to, and agreed in writing with Bureau Veritas Marine & Offshore. Should the specified regulations or standards be amended during the validity of this certificate, the product(s) is/are to be re-approved prior to it/they being placed on board vessels to which the amended regulations or standards apply. Bureau Veritas Marine & Offshore is designated by the French Maritime Authority as a "notified body" under the terms of the French Regulations Division 140 Chapter 140-2. This certificate is issued within the scope of the General Conditions of Bureau Veritas Marine & Offshore available on the internet site www.veristar.com. Any Person not a party to the contract pursuant to which this document is delivered may not assert a claim against Bureau Veritas Marine & Offshore for any liability arising out of errors or omissions which may be contained in said document, or for errors of judgement, fault or negligence committed by personnel of the Society or of its Agents in establishment or issuance of this document, and in connection with any activities for which it may provide.

THE SCHEDULE OF APPROVAL

1. PRODUCT DESCRIPTION :

Decorative veneer "Woodtique"

Composed of:

| Layer | Premium sheen | | Standard sheen | |
|-----------------|--|------------------------------|--|------------------------------|
| | Components | Mass (g/m ²) | Components | Mass (g/m ²) |
| Surface coating | Vinyl chloride, acrylic, urethane | 55 | Acrylic, urethane | 36 |
| Veneer | Wood | 43 | Wood | 43 |
| Adhesive | Ethylene vinyl acetate, fillers | 53.26-67.77 | Ethylene vinyl acetate, fillers | 53.26-67.77 |
| Paper | Wood pulp, starch, vinylidene chloride resin | 40.5 | Wood pulp, starch, vinylidene chloride resin | 40.5 |
| | Aluminum hydroxide, glass fiber | 109.5 | Aluminum hydroxide, glass fiber | 109.5 |
| | Total | 308 | Total | 289 |
| | Total of organic content | 190.8-196.8 (approx. 62%) | Total of organic content | 171.8-177.8 (approx. 61%) |

For detailed composition, refer to technical data sheets referenced in §2.

Nominal thickness: 0.31-0.32 mm

Tested colour: WT-005 Wenge (dark brown, organic content 195.7 g/m²) taken from a range of colour (see limitation § 4.5).

Tested glued on standard calcium silicate board (25 mm, density 950±100 kg/m³).

2. DOCUMENTS AND DRAWINGS :

As per Manufacturer's "Woodtique product Specifications (Composition, Ingredient)" N°MSMR20210519a Rev.0 and N°MSMR20210519b Rev.0, both dated 25/06/2021.

3. TEST REPORTS :

3.1 - Test report N° PFB10430A, Revision 1, dated 11/02/2021, as per IMO 2010 FTP Code, Annex 1, Part 5, from DBI FIRE AND SECURITY, Denmark.

3.2 - Test report N° PFB10445A, Revision 0, dated 10/02/2021, as per IMO 2010 FTP Code, Annex 1, Part 2, from DBI FIRE AND SECURITY, Denmark.

3.3 - Test report N° PFB10493A rev. 1 dated 14/07/2021, as per ISO 1716, from DBI, Denmark.

4. APPLICATION / LIMITATION :

4.1 - The fitting aboard should be the same as used for the test.

4.2 - Approved material is considered as having low flame spread characteristics (as per IMO 2010 FTP Code Part 5) and not producing excessive smoke and toxic products (as per IMO 2010 FTP Code Part 2).

4.3- Calorific value is less than 45 MJ/m² as per ISO 1716.

4.4 - Acceptable for use on any non-combustible and non-metallic substrate having:

- a minimum density of at least 713±75 kg/m³ with a thickness equal to 25 mm,
- OR
- a minimum density of 950±100 kg/m³ with a thickness greater than 25 mm.

4.5 - In application of the IMO 2010 FTP Code Annex 1 Part 5 Appendix 4 §2.6, alternative colours (same composition, only colour variation) may be used provided that the organic content is less and colour brighter than the one tested.

5. PRODUCTION SURVEY REQUIREMENTS :

This certificate alone does not allow the applicant to issue the Declaration of Conformity and to affix the mark of conformity (wheelmark) to the products corresponding to this type. To this end, the production-control phase module D Production Quality Assurance or module E Product Quality Assurance or module F Product Verification of Annex II of the Directive is to be complied with and controlled by a written inspection agreement with a Notified Body.

6. MARKING OF PRODUCT :

6.1 - Reference is made to MED 2014/90/EU chapter 2.

In particular Article 10.3 specifies that the wheelmark shall be followed by the identification number of the Notified Body involved in the production control phase (module D, E or F) and by the year in which the mark is affixed (4 digits or last 2 digits).

6.2 - In pursuance of the EU/US MRA+, and in accordance with the Council Decision 2004/425/EC of 21 April 2004 amended by Decision 1/2018 of 18 February 2019, the product(s) marked as per MED 2014/90/EU may be marked with the USCG conformity marking as authorized by the Notified Body undertaking surveillance module.

7. OTHERS :

It is **Misumaru Sangyo Co., Ltd.**'s responsibility to inform shipbuilders or their sub-contractors of the proper methods of fitting, use and general maintenance of the approved equipment and the conditions of this approval.

*** END OF CERTIFICATE ***